Pioneer sound.vision.soul

2-DIN 12.301170-09

Pioneer
sound. vision. soul

Installation manual for:

Mazda CX-7



Installation kit includes the following items:

* 1X Replacement panel
* 1X Radio trim
* 2X side mounting brackets
* 4X Screws

Pioneer sound.vision.soul

2-DIN 12.301170-09

Pioneer
sound. vision. soul

1



Remove original dashboardpanel arround the radio at the location of the arrows.
Use a plastic wedge.

2



Remove the radio.
This is thighten by four screws.

3



4



Remove the alarm signal button from the original radio.
At the location of the arrows.

5



Place the OEM alarm signal button in the replacementpanel.
Remove the thin plastic trim plate in the middle.

6




Connect all of the needed wiring harnesses and check the connections carefully.

2-DIN 12.301170-09

Pioneer
sound. vision. soul

7



Remove the thin plastic trim plate in the middle.

8



9



Place the plastic side panels on the re-placementpanel.

10



Remove the plastic ends of the side panels at the location of the arrows.

11



12



Place the new hesdunit into the new panel and mount it with four screws.

CUT

Connect all of the needed wiring harnesses and check the connections carefully.

2-DIN 12.301170-09

Pioneer
sound. vision. soul

13



Place the new navi trim arround the headunit.

14



Place the new headunit in the dashboard and thighten the panel with four screws.

15



Place the dashboards panels back in reverse order.

CUT

Connect all of the needed wiring harnesses and check the connections carefully.