




Installation manual for:
**Mercedes Benz C-Class (W203-007)
04-2004-> C- & T- Models Mercedes
Benz CLK (W209-4) 04-2004->**



Installation kit includes the following items:



- * 1X 2-ISO 100 mm. metal bracket
- * 1X Replacement panel
- * 1X Radio trim
- * 2X Mounting plates
- * 2X Mounting spacers
- * 2X Radio removal keys
- * 4X Screws
- * 2X Cushion



Pioneer HD1BT

We advice to use the following positions.
Other positions are also possible.

Use position 1 marked with a cross.
Use position 14 & 16 marked with an arrow.
Measured from left to right.



Pioneer Avic D3

We advice to use the following positions.
Other positions are also possible.

Use position 1 marked with a cross.
Use position 10 & 12 marked with an arrow.
Measured from left to right.

* Mount the plates.

1



Car is equipped with original head unit

2



To turn ventilation shaft up, use a screwdriver to unlock the locking clip

3



Remove 2x Torx 20 and turn ventilation shaft down, use a screwdriver to unlock the locking clip

4



To turn ventilation shaft up, use a screwdriver to unlock the locking clip

5



Remove ventilation shaft en remove 2x Torx 20. Then remove panel.

6



remove panel around gear lever and then remove ashtray.

7



Remove 2x Torx 20 and use plastic wedge to remove panel.

8



Remove 4x Torx 20 and remove original head unit

9



Place MB C (W203) 04-2004-> plastic frame incl. 2-DIN metal bracket.

10



Place panels back in reverse order.

Connect all of the needed wiring harnesses and check all connections carefully