

Installation Guide

CA-R-RF.003



510551931530651


Steering wheel control Interface

Mitsubishi Rockford **CA-R-RF.003** Video Steering Wheel Interface Control


- 1 Remove head unit from vehicle.
- 2 Connect the interface to the Pioneer head unit, connecting the first cable to the rear camera input, on the pioneer unit.



- 3 Connect patchlead to head unit.



- 4 Connect the Rear view Camera input to the interface as indicated (*Optional if reverse camera fitted*).



Once the unit is fitted please configure the steering wheel, by following the instructions on the next page.



Pioneer

Installation Guide

Steering wheel control Interface

Mitsubishi Rockford **CA-R-RF.003** Video Steering Wheel Interface Control

CA-R-RF.003




Menu Configuration Option

Press and hold the Mode and seek + button together till the menu is displayed. Now release the mode button and hold the seek + button for a further 5 sec's, this will reveal menu options. By pressing button 1/2 it will adjust the setting and the mode button will select the next option.



Note : Old SWC are vehicles pre 2010
New SWC are vehicles post 2010



1
2
3

1 = Seek Up
2 = Seek Down
3 = Mode Button



Pioneer

Operation Guide

Part No: CA-R-RF.003 Mitsubishi Video Steering Wheel Control Interface



1 = Seek Up
2 = Seek Down
3 = Mode Button

1. Press & hold **Mode button (3)** until menu Option is displayed.

2. Pressing **Seek up/down (buttons 1/2)** will adjust the Settings.

3. Pressing the **mode button** again will select the next menu option.

note:

there only 3 menu options are available.

